

## AMERICAN INTELLIGENCE.

*Abortion of one twin, the other remaining.* By SAMUEL JACKSON, M. D., of Philadelphia, late of Northumberland.—A very intelligent lady, one most unlikely to be deceived, suffered an abortion at the period of three months, attended with considerable hemorrhage; and after recovering from the effects of this, she was surprised to find herself still affected with her regular morning sickness and other symptoms which, from some experience, she knew to be those of pregnancy. In this state of things, she came thirty miles to consult me, who had been her physician some years before. After the most minute inquiry, I was entirely satisfied that she had miscarried; it, therefore, came into mind, that she might have been pregnant of twins; that she had parted with one, and that the other was the cause of her present symptoms.

She was encouraged to believe this opinion, and the regular time proved our prediction true, by delivering her safely of a healthy child. That this lady did miscarry, I cannot question. She was too intelligent to be deceived, and too honest to deceive me. She saw the ovum as it came away, unlacerated, and saw the embryo, when she cut the membranes. This care she extended, because she was at least twelve miles from any physician, whom she was willing to employ.

But my success in this case led me into error in a subsequent one. A lady suffered a miscarriage, under the care of another physician, attended by dangerous hemorrhage, and, like the above-mentioned, she had for some time all her former indications of pregnancy. She consulted me, and, being her intimate friend, I fearlessly pronounced that she was pregnant of a remaining twin. Time, however, served me otherwise on this occasion, and brought forth nothing but disappointment. It is, however, in some measure possible that my opinion was correct, as a remaining ovum might have been examined by the excessive leucorrhœa that followed her miscarriage, and continued for a long time to excoriate and distress the patient.

Upon relating the first case to Joseph G. Nanerède, M. D., of this city, he informed me, that a similar one had occurred to himself, at the period of four and a half or five months; that he attended at the abortion, saw the fœtus, and knew the woman to be delivered of a full grown, healthy child, about four months afterwards.

We believe that these are novelties to most practitioners; but a single fœtus is sometimes saved after a copious flooding from its single placenta; and, surely, the expulsion of one fœtus, with the preservation of the other, is at least *a priori* a far more probable process.

*Annual Report of the Interments in the City and County of New York, showing their Age, Sex, Colour and Places of Nativity, for the year 1837. Also, a Table of Deaths, and the different Diseases, since the year 1804.* By HENRY G. DUNNEL, M. D., City Inspector.



	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Whites.	Blacks.	Males.	Females.	Age 1 year and under.	Between 1 and 2.	2 and 5.	5 and 10.	10 and 20.	20 and 30.	30 and 40.	40 and 50.	50 and 60.	60 and 70.	70 and 80.	80 and 90.	90 and 100.	Unknown.			
Cyanosis, or Blue Skin, Fever, (Type not mentioned.)	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0		
" Intermitent, . . .	7	8	12	17	9	29	15	14	6	9	10	3	136	102	26	64	66	6	6	13	7	11	39	20	12	13	6	0	0	6	0	0		
" Intermitent and Bilious, . . .	0	0	0	0	0	1	3	0	3	2	0	0	16	14	2	4	11	0	5	3	3	2	1	2	1	6	1	1	1	0	0	0		
" Typhus, . . .	6	9	30	37	55	45	47	28	20	24	22	15	336	269	69	178	160	0	2	4	5	30	106	85	44	36	19	6	0	0	1	Note C.		
<i>Eruptive Fevers.</i>																																		
Scarlet Fever, . . .	110	110	88	48	46	20	12	22	25	23	27	46	579	576	3	294	285	72	125	244	97	21	16	0	0	2	0	0	0	0	0	2		
Measles, . . .	9	9	5	12	13	18	48	63	25	16	6	14	236	233	5	136	102	52	66	98	14	2	6	0	0	0	0	0	0	0	0	0	0	
Small-pox, . . .	30	12	16	17	17	9	5	9	12	1	17	11	164	144	20	91	70	32	25	40	8	12	28	12	4	2	0	0	0	0	0	1	0	
Varicellæ, . . .	2	0	0	0	0	0	0	0	0	0	0	0	6	5	1	1	5	1	1	1	0	0	2	0	0	0	0	0	0	0	0	0	0	
Chicken Pox, . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	3	5	3	2	2	1	0	0	0	0	0	
Erysipelas, . . .	0	0	0	0	0	0	0	0	0	0	0	0	26	26	2	14	14	10	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	
Apthæ, or Sprue, . . .	3	1	1	2	1	1	6	4	2	1	2	2	32	32	0	19	13	36	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Scalded Head, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Aneurism, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" of the Aorta, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bleeding, (from parts not named.)	2	1	2	2	1	3	0	0	0	0	1	5	25	21	4	14	11	2	0	1	6	7	21	17	32	21	13	3	0	0	0	1		
Dropsy, (of organs not named.)	15	15	12	14	17	5	13	14	9	17	16	3	150	131	19	80	70	7	4	17	7	7	0	0	0	0	0	0	0	0	0	0	0	
<i>Digestive System.</i>																																		
Pyæmia, or Salivation, . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	
Pylorus, Scirrhus of . . .	0	0	0	0	0	0	0	0	0	0	0	0	5	5	0	3	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Stomach, Bleeding from . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" Indigestion or Dyspepsia of . . .	19	12	7	17	21	17	29	21	27	18	12	17	226	203	17	112	108	65	21	24	10	8	22	24	23	7	7	0	1	0	2	0	0	
" and Bowels Inflamed, . . .	0	0	0	0	0	0	0	0	0	0	0	0	4	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Cramp of . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Cancer of . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Bowels, Rupture of . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
" Colic of . . .	0	0	0	0	0	0	0	0	0	0	0	0	10	9	4	6	6	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Cholera Morbus, . . .	0	0	0	0	0	0	0	0	0	0	0	0	26	17	3	12	8	2	3	2	1	1	3	0	0	0	0	0	0	0	0	0	0	
" Infantum, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Diarrhœa, . . .	4	3	2	3	5	5	17	49	29	17	13	4	253	246	7	130	123	159	74	20	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Dysentery, . . .	2	4	3	2	5	8	35	27	20	5	1	1	151	143	8	79	72	23	23	22	8	4	17	19	16	7	2	1	0	0	0	0	0	
" Marasmus, or Emaciation, . . .	21	14	19	20	13	10	29	39	41	33	26	27	292	257	35	155	137	148	51	21	7	1	8	15	9	9	15	4	1	0	0	0	0	
" Teething, . . .	19	22	16	14	17	24	30	51	32	10	1	6	212	235	7	129	113	104	135	3	0	0	6	0	0	0	0	0	0	0	0	0	0	0

{ Includes  
Atrophy  
and  
Debility.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Whites.	Blacks.	Males.	Females.	Age 1 year and under.	Between 1 and 2	2 and 5	5 and 10	10 and 20	20 and 30	30 and 40	40 and 50	50 and 60	60 and 70	70 and 80	80 and 90	90 and 100	Unknown.			
Worms, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	45	25	1	12	15	4	1	12	11	0	0	0	0	0	0	0	0	0	0	0	0	0
Ulceration of Intestines, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rectum, Cancer of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Stricture of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Fistula in Ano, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Liver, Inflammation of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Scirrhus of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Jaundice, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Spleen, Inflammation of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Urinary and Genital System.	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Bladder, Inflammation of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Kidneys, Inflammation of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Diabetes, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gravel or Stone, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Fistula in Perineo, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Womb, Inflammation of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Cancer and Scirrhus of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Dropsy of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Fungus of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Polypus of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Rupture of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Child-bed, . . . . .	4	4	4	4	4	4	4	4	4	4	4	4	38	35	3	0	38	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Puerperal Fever, or Peritonitis, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	26	26	0	0	26	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ovaria, Disease of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Dropsy of . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Miscarriage, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	3	3	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Inflammation of parts not named, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	11	8	0	3	6	1	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0
" of Throat, . . . . .	2	1	0	2	1	1	3	0	0	0	0	0	22	21	0	10	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" of Knee-joint, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rheumatism, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	19	16	0	8	11	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Gout, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
White Swelling, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Morbus Coxartus; Hip Disease, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Nota D.  
Nota E.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Whites.	Blacks.	Males.	Females.	Age 1 year and under.	Between 1 and 2	2 and 5	5 and 10	10 and 30	30 and 40	40 and 50	50 and 60	60 and 70	70 and 80	80 and 90	90 and 100	Age 105.	Unknown.	
Spinal Disease, . . . . .	0	0	1	0	0	0	1	0	0	0	0	0	6	9	0	3	2	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
" Injury, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	4	3	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Tumour, . . . . .	0	0	1	0	0	0	0	1	1	0	0	0	10	23	0	11	13	2	0	0	0	3	3	2	1	0	0	0	0	0	0	0
Ulcers, . . . . .	3	0	5	0	1	3	5	1	3	0	0	1	24	20	0	11	13	0	0	0	0	4	3	2	0	0	0	0	0	0	0	0
Abscess, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	5	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
" Lumbar, . . . . .	0	0	0	0	0	0	0	0	1	1	0	0	1	13	0	2	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Cancer, of parts not named, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	30	3	17	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Mortification of do. . . . .	4	2	0	1	1	0	0	1	0	1	0	0	33	36	0	2	11	0	0	0	0	3	3	1	0	0	0	0	0	0	0	0
Lues Venerea, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	11	6	3	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Necrosis, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Osteo Sarcoma, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Rickets, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	3	16	0	10	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Scrofula, . . . . .	1	0	0	0	0	0	0	0	0	0	0	0	18	50	7	29	28	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Unknown Disease, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	57	50	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Drinking Cold Water, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	2	37	0	29	21	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Intemperance, and . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	50	60	13	56	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Delirium Tremens, . . . . .	5	7	4	9	3	4	6	3	1	1	2	3	50	60	13	56	56	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Suicide, . . . . .	11	8	13	11	7	7	8	3	3	3	2	1	42	49	0	25	17	0	0	0	0	4	13	12	5	3	0	0	0	0	0	0
Destitution and Exposure, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Casualties, . . . . .	15	6	11	3	6	5	5	1	16	6	5	2	79	72	7	65	14	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Burned or Scalded, . . . . .	4	5	8	6	2	2	2	0	4	3	4	5	49	45	4	19	30	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Drowned, . . . . .	12	1	2	8	27	18	8	18	9	9	1	3	121	113	8	101	17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Death from accidental Poisoning, . . . . .	0	1	0	0	0	0	0	0	0	0	0	0	11	11	0	5	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Fracture, . . . . .	0	0	0	0	0	3	1	2	0	1	1	1	5	9	0	8	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Killed or Murdered, . . . . .	1	1	0	0	0	3	0	1	2	1	1	0	10	9	1	8	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Old Age, . . . . .	13	11	9	22	10	7	12	9	11	7	7	4	122	117	5	50	72	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Malformation, . . . . .	1	0	0	0	0	1	1	1	5	7	3	9	30	27	3	19	11	30	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Deaths Total, . . . . .	751	669	784	706	647	583	747	923	766	556	507	533	8182	7180	702	4365	3813	1946	1001	961	369	334	1062	943	657	376	243	162	73	15	1	0
Still-born and Premature,* . . . . .	51	44	64	41	41	40	42	38	51	51	37	550	505	45	319	193	193															
Interments, Total, . . . . .	802	713	848	750	688	633	791	965	804	507	561	570	8732	7985	747	4718	4006															

\* Sex not named, 8.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Men, . . . . .	186	143	208	216	184	166	165	167	145	134	111	122	1941
Women, . . . . .	129	136	183	175	173	133	142	135	129	100	90	105	1630
Boys, . . . . .	254	232	236	196	174	166	280	368	274	206	203	182	2768
Girls, . . . . .	233	202	221	169	157	168	204	295	256	167	157	161	2389

*Places of Nativity of those who died in 1837.*

United States, - - - -	6640	Poland, - - - - -	1
Ireland, - - - - -	1206	Prussia, - - - - -	1
England, - - - - -	301	Russia, - - - - -	1
Scotland, - - - - -	74	Norway, - - - - -	1
Wales, - - - - -	6	West Indies, - - - - -	17
Germany, - - - - -	198	South America, - - - - -	3
Holland, - - - - -	3	Italy, - - - - -	4
France, - - - - -	45	Canada, - - - - -	8
Bavaria, - - - - -	1	Nova Scotia, - - - - -	5
Spain, - - - - -	8	China, - - - - -	1
Switzerland, - - - - -	3	Africa, - - - - -	2
Sweden, - - - - -	14	At Sea, - - - - -	3
Denmark, - - - - -	2	Unknown, - - - - -	181

	<i>Natives of Great Britain.</i>	<i>Natives of European Continent.</i>
Note A,	49	7
B,	542	50
C,	151	22
D,	20	2
E,	16	00
F,	15	7
G,	41	7
H,	44	10

*The Interments were in the Cemeteries belonging to the following Denominations.*

The Public or Potters Field,	- - - - -	2139
Roman Catholic, - - - - -	- - - - -	2707
Methodist, - - - - -	- - - - -	1262
Presbyterian, - - - - -	- - - - -	1079
Episcopalian, - - - - -	- - - - -	905
Dutch, - - - - -	- - - - -	406
Baptist, - - - - -	- - - - -	149
Friends, - - - - -	- - - - -	56
Hebrews, - - - - -	- - - - -	20

*The Population of New York, according to the last Census, in 1835, was*

Males, - - - - -	131,624
Females, - - - - -	138,461
Total, - - - - -	270,085
Persons of Colour, - - - - -	15,197
Whites, - - - - -	254,892

TABLE II.—A true Table of the Deaths that have occurred in the City of New York, from the commencement of making any returns to the City Inspector's Office.

DISEASES.	1805	1806	1807	1808	1809	1810	1811	1812	1813	1814	1815	1816	1817	1818	1819	1820	1821	1822	1823	1824	1825	1826	1827	1828	1829	1830	1831	1832	1833	Total	still born as 11.2					
Inflammation of Brain, . . .	17	16	15	12	18	18	19	22	19	7	17	16	18	108	119	21	22	28	22	47	46	107	100	77	109	83	71	90	101	190	150	1676	72			
Dropsy of Brain, . . .	16	22	30	28	28	40	33	48	48	60	60	101	87	108	119	21	22	28	22	47	46	107	100	77	109	83	71	90	101	190	150	1676	72			
Apoplexy, . . .	31	20	34	20	28	46	37	33	33	37	57	53	46	40	40	41	41	37	36	58	52	196	169	975	226	258	239	219	311	495	317	382	268	94		
Palsy, . . .	15	23	23	16	23	22	23	22	23	22	23	23	22	46	40	41	41	37	36	58	52	196	169	975	226	258	239	219	311	495	317	382	268	94		
Convulsions, . . .	102	123	121	161	161	140	162	157	181	209	196	203	181	209	196	203	181	209	196	203	181	209	196	203	181	209	196	203	181	209	196	203	181	209	196	203
Epilepsy, . . .	7	16	8	3	3	3	2	2	2	2	1	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Catalepsy, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Myastasia, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Chorea, or St. Vitus' Dance, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Asphyxia, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Neuralgie, or Nervous Dis. . .	5	7	5	4	4	3	2	3	2	3	8	4	3	5	4	2	3	4	7	5	11	11	9	8	4	3	9	9	2	1	0	0	0	0		
Loeklaw, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Hydrophobia, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Insanity, . . .	5	7	7	7	7	7	5	10	8	4	8	15	12	11	13	12	6	6	6	4	26	23	20	7	15	13	23	1	16	14	15	31	367	328.85		
<i>Respiratory System.</i>																																				
Croup, . . .	70	106	101	94	102	82	136	111	76	78	83	82	60	74	69	97	125	109	94	129	133	151	171	153	171	178	203	179	1	168	198	173	177	3937	30.5	
Whooping Cough, . . .	16	72	35	36	50	41	43	82	59	66	20	95	44	121	65	119	92	35	31	116	69	140	101	157	63	101	157	181	63	135	172	132	2316	47.94		
(A.) Lungs or Mem. Inflan.	102	127	138	106	121	103	225	249	241	145	178	216	145	178	216	145	178	216	145	178	216	145	178	216	145	178	216	145	178	216	145	178	216	145	178	216
Dropsy of the Chest, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Bleeding from the Lungs, . . .	4	3	4	6	4	4	6	5	7	7	20	22	47	21	26	27	34	41	37	45	40	49	40	49	40	49	40	49	40	49	40	49	40	49	40	
Asthma, . . .	3	11	3	5	4	13	11	6	18	6	13	10	13	6	8	7	12	4	6	5	12	14	6	2	7	42	33	8	6	8	13	11	2183	4.8		
Consumption, . . .	302	351	461	428	415	569	595	669	562	572	618	678	671	591	577	635	715	621	633	726	812	840	829	905	630	974	1030	1416	1231	1471	1437	1514	2183	4.8		
<i>Circulatory System.</i>																																				
Heart, Organic Disease of	0	0	0	0	0	0	0	1	2	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
Fever, (Type not named), . . .	4	7	3	6	12	6	8	10	6	10	19	17	12	12	47	66	120	121	50	34	32	120	81	124	91	36	60	80	72	63	47	90	1475	81.8		
" Remittent, . . .	22	20	12	13	16	9	25	37	18	14	27	16	27	16	27	20	60	72	62	59	42	69	85	77	83	62	67	103	66	85	66	110	1490	81.6		
" Intermittent and bilious, . . .	270	0	0	0	0	13	6	4	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" Malign, or Yellow	78	96	108	65	73	65	156	171	121	142	120	104	163	231	165	143	124	97	80	82	226	135	95	132	57	53	51	61	62	106	47	117	113	813.94		
" Inflammatory, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" Typhus and Nervous, . . .	2	3	6	3	3	1	1	3	1	1	6	6	3	3	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" Hoetic, . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
<i>Eruptive Fevers.</i>																																				
Scarlet, . . .	4	0	2	4	9	1	0	0	1	1	18	19	20	18	10	6	0	3	1	2	10	34	4	4	118	216	258	221	179	418	171	202	1983	60.88		
Measles, . . .	0	0	1	61	2	2	2	2	0	0	19	19	20	18	10	0	74	109	1	117	100	53	31	172	28	91	22	39	200	25	217	2117	67.8			
" Small-pox, . . .	02	98	29	66	4	66	4	117	21	2	91	179	14	19	0	0	0	0	0	18	391	40	63	149	93	10	176	224	80	25	233	561	0	717240.4		
" Water, . . .	5	7	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" Erysipelas, . . .	5	7	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20		
" Erysipelas, . . .	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20	20					

[illegible]



DISEASES.	1805	1806	1807	1808	1809	1810	1811	1812	1813	1814	1815	1816	1817	1818	1819	1820	1821	1822	1823	1824	1825	1826	1827	1828	1829	1830	1831	1832	1833	1834	1835	Total.	Comp. as 1 in		
Scoury, . . . . .	1	0	6	1	2	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	21	5746.9		
Rickets, . . . . .	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	26	1641.69		
Scrofula, . . . . .	4	4	3	4	7	1	1	4	8	4	4	5	14	19	12	15	12	15	12	15	11	9	15	17	9	8	17	17	10	13	9	10	329	386.78	
Lues Venerea, . . . .	14	12	15	10	13	22	18	10	4	7	8	11	7	14	13	10	9	5	5	6	12	15	7	6	14	7	6	4	9	15	13	29	372	324.47	
Fracture, . . . . .	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	115	1024.12		
Old Age, . . . . .	46	67	51	49	62	88	85	85	60	56	73	73	96	92	62	100	122	116	131	151	203	201	202	195	191	105	135	151	107	136	101	131	2532	3149	
Drowning, Cold Water, .	11	0	1	1	0	0	0	28	10	1	18	2	1	2	16	6	10	2	4	0	3	77	0	21	9	2	19	4	3	3	40	0	7	271	410.15
Intemp. and Delir. Trem.	17	11	14	18	28	30	19	18	9	7	12	30	40	38	35	28	64	44	43	70	81	55	73	75	60	75	119	119	70	110	165	192	1728	69.81	
Suicide, . . . . .	26	15	16	8	16	8	16	8	11	6	5	13	18	24	27	15	16	13	18	19	14	29	21	22	37	20	23	29	30	33	29	33	617	48.82	
Unknown Disease, . . .	26	25	45	21	16	28	53	41	35	36	35	68	31	61	103	100	80	61	79	91	160	156	161	99	98	101	100	133	112	126	67	112	2172	48.82	
Casualties, (Including reports as Returned, Drowned, Frozen and Killed, Note C, Malformation, .	78	87	77	61	99	106	77	99	88	70	101	99	82	120	116	103	106	127	120	150	156	150	151	158	131	146	178	178	236	211	263	256	4200		
Deaths in each year, Total, 227	317	226	197	208	307	313	217	220	188	210	255	209	310	306	308	336	338	303	321	421	401	471	467	490	451	473	518	599	927	535	500	560	7503		
Still-born and Premature, 47	51	76	61	70	94	139	94	84	76	93	104	84	116	130	118	169	171	305	278	250	214	202	201	188	360	399	372	381	382	492	471	603	6925		

NOTE A.—Among the deaths from Inflammation of the Lungs and Membranes are classed deaths reported by Pleurisy, Peripneumonia, Bronchitis, Cold, Cough, Influenza, Pneumonia Typhoides, and Inflammation of the Chest.

NOTE B.—Under deaths from Marasmus are included deaths reported by Deeny, Debility, Tabes Mesenterica and Atrophy.

NOTE C.—Malformation includes returns as such, and Spina Bifida.

TABLE III.—Table of Mortality of Sexes. The months taking precedence according to mortality.

	July.	August.	Septem.	October.	Decem.	May.	Novem.	April.	January.	March.	February.	June.
Men, . . . . .	3989	3850	3589	3237	2998	2992	2966	2911	2873	2860	2806	2552
	August.	July.	Do.	Do.	Do.	Novem.	March.	January.	February.	April.	May.	Do.
Women, . . . . .	3104	2885	2719	2571	2333	2291	2236	2224	2191	2179	2093	1831
	Do.	Septem.	July.	Do.	Do.	March.	February.	Do.	Novem.	Do.	Do.	Do.
Girls, . . . . .	4498	3256	3225	2427	2223	2185	2178	2161	2143	1980	1953	1872
	Do.	July.	Septem.	Do.	January	Do. and	Decem.	February.	Do.	Do.	Do.	Do.
Boys, . . . . .	5132	3935	3785	3013	2718	2713	2713	2607	2573	2385	2331	2171
	August.	July.	Septem.	Do.	Decem.	March.	January.	Novem.	February.	April.	May.	Do.
Total of Mortality, .	16,511	14,034	13,349	11,248	10,267	9994	9976	9973	9782	9455	9349	8426

The ages between which deaths occur, are divided into fourteen periods, from one year to 140, by dividing the sum of the ages by the number deceased, (excluding the Still-borns.) It is found that the mean average duration of life was

In 1805, - - - - - 28.72 years.  
 Between 1805, and including 1810, - - - - - 28.13 "  
 Do. 1810, " " " " " 30.08 "  
 Do. 1815, " " " " " 29.14 "  
 Do. 1820, " " " " " 29.12 "  
 Do. 1825, " " " " " 26.44 "  
 Do. 1830, " " " " " 25.45 "  
 \* Do. 1835, " " " " "

The Cholera period in the year 1831, it was  
 \* - - - - - 1832, 22.1  
 " " " " " 1833, 29.64  
 " " " " " 1834, 24.39  
 " " " " " 1835, 23.56  
 " " " " " 1836, 22.65  
 " " " " " 1837, 22.05

TABLE IV.—The whole number of Interments for these years amounts to 139,426—of which are classed as Men, 37,585—as Boys, 36,129—Women, 28,670—Girls, 30,036; or, Males, 73,714—Females, 58,712. This amount includes 6,925 Still-born, which, in estimating the mortality under 5 years of age, have been excluded, making an excess of mortality of Males, of 15,002, or 11.32 per cent. The Mortality at certain ages is divided into 10 periods.

	Total	pr. et.	1805.	1806.	1807.	1808.	1809.	1810.	1811.	1812.	1813.	1814.	1815.	1816.	1817.	1818.	1819.	1820.	1821.	1822.	1823.	1824.	1825.	1826.	1827.	1828.	1829.	1830.	1831.	1832.	1833.	1834.	1835.
Un. 5 years,	49,331	39,465	35,485	11,629	37,799	38,777	37,731	32,999	33,068	33,594	33,211	32,114	32,923	31,333	31,469	37,022	38,009	38,857	38,053	35,429	37,296	36,333	32,488	37,569	10,499	39,002	12,003	14,234	41,006	33,411	13,922	45,007	47,514
bet. 5 & 10 yrs.	60,231	47,336	43,356	11,629	45,707	46,685	45,639	40,907	40,976	41,502	40,405	39,308	40,117	38,527	38,663	44,214	45,201	46,049	45,245	42,616	44,493	43,530	39,685	44,766	11,797	46,263	13,266	15,497	42,268	44,779	47,286	49,793	
10 & 20	68,939	47,565	43,585	11,629	45,936	46,914	45,868	41,136	41,205	41,731	40,634	39,537	40,346	38,756	38,892	44,443	45,430	46,278	45,474	42,845	44,722	43,759	39,914	45,005	12,006	46,502	13,735	15,966	43,037	45,548	48,055	50,562	
20 & 30	170,653	123,269	119,289	11,629	121,640	122,618	121,572	116,840	116,909	117,435	116,338	115,241	116,050	114,460	114,596	120,147	121,134	121,982	121,178	118,549	120,426	119,463	115,618	120,709	12,009	122,206	13,238	15,469	120,269	122,780	125,287	127,794	
30 & 40	170,653	123,269	119,289	11,629	121,640	122,618	121,572	116,840	116,909	117,435	116,338	115,241	116,050	114,460	114,596	120,147	121,134	121,982	121,178	118,549	120,426	119,463	115,618	120,709	12,009	122,206	13,238	15,469	120,269	122,780	125,287	127,794	
40 & 50	125,129	92,234	88,254	11,629	90,603	91,581	90,535	85,803	85,872	86,398	85,301	84,204	85,013	83,423	83,559	89,110	90,097	90,945	90,141	87,512	89,389	88,426	84,581	89,672	9,012	91,179	10,203	12,434	88,633	91,144	93,651	96,158	
50 & 60	77,889	62,994	59,014	11,629	61,365	62,343	61,297	56,565	56,634	57,160	56,063	54,966	55,775	54,185	54,321	60,872	61,859	62,707	61,903	59,274	61,151	60,188	56,343	61,434	6,475	63,001	7,529	9,760	59,154	61,665	64,172	66,679	
60 & 70	53,889	42,994	39,014	11,629	41,365	42,343	41,297	36,565	36,634	37,160	36,063	34,966	35,775	34,185	34,321	40,872	41,859	42,707	41,903	39,274	41,151	40,188	36,343	41,434	5,516	43,001	6,544	8,775	40,154	42,665	45,172	47,679	
70 & 80	34,411	24,516	20,536	11,629	22,887	23,865	22,819	18,087	18,156	18,682	17,585	16,488	17,297	15,707	15,843	22,394	23,381	24,229	23,425	20,796	22,673	21,710	17,865	22,956	2,997	24,002	3,976	6,207	21,157	23,668	26,175	28,682	
80 & upw.	21,671	16,776	12,796	11,629	18,157	19,135	18,089	13,357	13,426	13,952	12,855	11,758	12,567	10,977	11,113	17,664	18,651	19,499	18,695	16,066	17,943	16,980	13,135	18,226	1,267	19,279	2,302	4,533	16,336	18,847	21,354	23,861	
Total,	125,501																																

The rate of Mortality, according to the population, (Still-born excluded), being

In 1805,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
In 1810,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
In 1815,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
In 1820,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
In 1825,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
In 1830,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
In 1835,	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Great labour and attention have been bestowed upon these Tables, and they may be relied upon for accuracy.